



# **PRODUCT CATALOGUE**



# General Purpose Liquid Lanolin

A multi-purpose penetrant, lubricant  
& corrosion inhibitor



- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Non Conductive to 70kV
- ✓ Non Evaporative
- ✓ Hermetically Seals Surface
- ✓ Acid & Salt Resistant
- ✓ Resists Wash Off

“Your products have not let us down in the 5 years we have been using them, for all high and low voltage in high corrosive environments.”

Kerry Millard

Millards Auto Electrical, Marooka QLD

Size	Code	Size	Code
400g Aerosol	GP\PP-0400	20 Litre	GP\0020
750ml Spray	GP\SP-0750	Empty 750ml	AC\PB-0750GP
5 Litre	GP\0005	Empty 1.5L	AC\PS-1500GP

Replaces these types of products:

- Penetrant - frees up rusted components
- Corrosion protection for most surfaces including metal & timber
- Lubrication of light chains, locks & hinges, ideal air tool lube
- Protects and frees up tools, fasteners, fittings, hinges, locks & zippers
- Lubricant for drilling, cutting, machining and pressing
- Protection for electrical connectors, ECU's and switchgear - high and low voltage
- Prevention of oxidisation for containerised shipping
- Internal component preservation

Penetrant

Cutting Oil

Light Lubricant

Corrosion / Rust  
Protector

Electrical Protectant

Automotive Silicone

Rejuvenator - Leather,  
Plastic & Vinyl

For MSDS, PDS & further info, please visit our website



## NATURALLY BETTER

[www.lanotec.com.au](http://www.lanotec.com.au)



- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Contains no Methylene Chloride
- ✓ Non Flammable
- ✓ No Silicones
- ✓ Ideal for confined spaces

Size	Code
750ml Spray	AS\SP-0750
5 Litre	AS\0005

Replaces these types of products:

- Welding anti-spatter for mig & arc welding
- Lubricant for cutting, tapping, drilling & pressing
- Corrosion and spatter protection of welding beds, robots and spot welders
- Preserver of leather gloves and aprons
- Welding nozzle protection
- Does not affect galvanising process
- Test welds meet standard AS/NZS 1554.1 2004 Category SP

Anti-Spatter

Leather Glove Protector

Cutting Fluid

Nozzle Dip

Rust Protection Spray

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)



Industrial strength cleaner/degreaser concentrate

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Water Soluble
- ✓ Non Conductive to 22kV
- ✓ pH Neutral
- ✓ HACCP & AQIS Approved

“Citra-Force dissolves grease and grime with ease as well as removing sticky tape residue. Customers have commented on the lovely orange fragrance left in the shop from cleaning”

Geoff Matthews, Calamvale Quality Meats

Size	Code	Size	Code
400g Aerosol	CF\PP-0400	20 Litre	CF\0020
750ml Spray	CF\SP-0750	200 Litre	CF\0200
1 Litre	CF\0001	Empty 750ml	AC\PB-0750CF
5 Litre	CF\0005	Empty 1.5L	AC\PS-1500CF

Replaces these types of products:

- Machinery & plant cleaner, for use around workshops and wash bays
- Cleaning of electrical components
- Removal of thread dope from drill pipe casing ID & OD
- Will remove blackjacks & bitumen
- Designed to remove Lanotec lanolin based products
- **Full Strength** - Bitumen overspray, uncured silicone, thread dope, oil from concrete, grease, bugs, tar, wax, fresh paint, adhesives, electrical carbon, foam filters
- **1:5 parts water** - Cleaning/degreasing motors, ovens, barbecues, tiles, machinery, exhaust canopies
- **1:20 parts water** - Industrial, catering & workshop floors, walls, metal surfaces, pet stables, toilets, bathrooms, general cleaning

Machinery & Plant Cleaner

Quick Break Degreaser

Asphalt Remover

Spray & Wipe (@ 20:1)

Adhesive Remover

Electrical Cleaner

Engine Degreaser

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

www.lanotec.com.au



# Heavy Duty Liquid Lanolin

Lubrication & corrosion protection in highly corrosive environments



Size	Code	Size	Code
400g Aerosol	HD\PP-0400	20 Litre	HD\0020
750ml Spray	HD\SP-0750	200 Litre*	HD\0200
1L Spray	HD\SP-1000	Empty 750ml	AC\PB-0750HD
5 Litre	HD\0005	Empty 1.5L	AC\PS-1500HD

\* requires agitation capabilities

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Non Conductive to 70kV
- ✓ Non Evaporative
- ✓ Hermetically Seals Surface
- ✓ Acid & Salt Resistant
- ✓ Resists Wash Off

“Lanotec products have certainly saved us maintenance time as well as downtime. This is easily the best lubricant we have ever used for chains as well as providing unbeatable weather protection”

Bruce Ferguson

Workshop Foreman, McGuigan Simeon Wines  
Buronga, NSW

Replaces these types of products:

- Long lasting lubrication of moving parts in highly corrosive environments
- Lubrication and protection of high speed and load bearing chains (Non fling and non webbing)
- All round metal surface protectant
- Protection of all electrical equipment on machinery e.g. battery terminals, boxes and connectors
- Penetration and protection of wire ropes
- Component and storage protection
- Slippery lube for cable pulling
- Spray on anti-seize
- Provides long lasting protection offshore & underground

Marine Grade Lubricant

Parts Storage Fluid

Tacky Lubricant

Spray Grease

Chain Lube

Battery Terminal  
Protectant

External Corrosion  
Protection

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)

## Industrial strength cleaner/degreaser & parts washing fluid



- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Water Soluble
- ✓ Non Flammable
- ✓ Non DG for Transport/Storage
- ✓ Surface dries fast after wash off
- ✓ Non Conductive to 47kV

“ We have tried it in the workshop on the concrete where it was very heavily soiled with oil. We tried it against the degreaser we had been using and it easily outdid it. The two are like chalk and cheese.”  
Pacific Fasteners & Hydraulics, Tully QLD

Size	Code	Size	Code
5 Litre	PW\0005	200 Litre	PW\0200
20 Litre	PW\0020	Empty 1.5L	AC\PS-1500PW

### Replaces these types of products:

- Machinery & plant cleaner, for use around workshops and wash bays
- Suitable for areas where non flammable cleaners are required (offshore & underground)
- Parts washing fluid for parts cleaning baths
- Asphalt remover & clean up
- Removes oils, blackjack, lanolin, grease including crater grease
- **Full Strength** - Bitumen overspray, oil from concrete, bugs, tar, wax, fresh paint, adhesives, carbon, parts washer
- **1:5 parts water** - Cleaning/degreasing motors, barbeques, tiles, machinery, exhaust canopies
- **1:20 parts water** - Industrial, catering & workshop floors, walls, metal surfaces, toilets, bathrooms, general cleaning

Machinery & Plant Cleaner

Quick Break Degreaser

Parts Washing Fluid

Asphalt Remover

Truck Wash

Workshop Cleaner

Engine Degreaser

For MSDS, PDS & further info, please visit our website



## NATURALLY BETTER

www.lanotec.com.au





# Release Agent



Size	Code
2.9 Litre	RA\0003
5 Litre	RA\0005
20 Litre	RA\0020

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Non Evaporative
- ✓ Easy to Apply
- ✓ Concentrate (mix with water)
- ✓ Lubricates and protects fittings
- ✓ Low suction between panels
- ✓ Compatible with most coating systems

“We have been using Lanotec products since the job started and found that maintenance costs and downtime have been reduced considerably”

Paul Padroth  
Caltex Refinery Project, Lytton QLD

Replaces these types of products:

Release Agent

Tilt Panel Bond Breaker

Precast Mould Oil

Lubricant for Jacks & Fittings

Rust Protection Spray

- Non staining for coloured concrete
- Does not affect polystyrene
- Safe for fibreglass, PVC, polypropylene & rubber moulds

Concrete (mix @ 1:6 parts water)

- Formwork Release Agent
- Tilt Panel Bond Breaker
- Precast Mould Oil

Scaffolding (mix @ 1:4 parts water)

- Lubricant for jacks & fittings
- Corrosion protection for tubes, jacks & fittings
- Protection of assets from concrete and paint overspray

Container Size	Concrete @ 1:6	Scaffolding @ 1:4
2.9L	20L - *500m <sup>2</sup>	15L
5L	35L - *875m <sup>2</sup>	25L
20L	140L - *3500m <sup>2</sup>	100L

\*Approximate coverage only

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

www.lanotec.com.au



# Timber Seal

For decking & outdoor furniture



Size	Code
5 Litre	TS\0005
20 Litre	TS\0020

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Easy to Apply - Sprayable
- ✓ Resists wash off
- ✓ Protects fastenings from rust
- ✓ Highlights natural grain

“ This would have to be one of the best clear finishes for hardwood that I have ever used in my 38 years as an architect. We used it on a dressed blackbutt structure that is part of an outdoor dining space at a coastal restaurant and it has performed beyond expectations ”

Stuart R Whitelaw  
Whitelaw Associates

Replaces these types of products:

- Suitable for dressed timber
- Penetrates into the timber
- Prevention of drying, splitting, cracking and wood rot
- For weatherproofing and highlighting natural grain
- For a natural matt finish
- Corrosion protection of metal fastenings and fittings

Decking Oil

Wood Preserver

Hardwood	NEW	10-15m <sup>2</sup> /L
Hardwood	OLD	8-10m <sup>2</sup> /L
Softwood	NEW	8-10m <sup>2</sup> /L
Softwood	OLD	6-8m <sup>2</sup> /L

\*Approximate coverage only

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

www.lanotec.com.au





# Timber Seal PLUS

For boardwalks, jetties & bridges



Size	Code
20 Litre	TS\P020

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Easy to Apply - Sprayable
- ✓ Resists wash off
- ✓ Protects fastenings from rust
- ✓ Highlights natural grain
- ✓ Safe for waterways and environmentally sensitive areas

“Over the last 3 years council staff have used Lanotec Timber Seal PLUS to preserve timber decking and other exposed timbers and Soft Grease in the joints between timber members”

B R Redman  
Operations & Technical Services Dept  
Nambucca Shire Council

Replaces these types of products:

- Formulated for rough sawn timber
- Perfect for boardwalks, bridges, jetties and wharf infrastructure
- Penetrates into the timber
- Prevention of drying, splitting, cracking and wood rot
- For weatherproofing and highlighting natural grain
- For a natural matt finish
- Corrosion protection of metal fastenings and fittings

Decking Oil

Wood Preserver



For MSDS, PDS & further info, please visit our website

**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)



# Type A Grease

Lubrication & anti-seize



- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Food Grade
- ✓ Non Conductive to 70kV
- ✓ Non Perishing to Rubber
- ✓ Moisture, salt & acid resistant
- ✓ Non Leaching

“Your product is very user friendly, of high quality, but most of all, reliable”

Brayd Gross  
Director, Alpha Rigging Service  
Sale, Victoria

Size	Code	Size	Code
250ml Tube	GS\250T	1 Litre	GS\0001
235ml	GS\0235	4 Litre	GS\0004
500ml	GS\0500	20 Litre	GP\0020

- Anti-seize for threaded rod, shackles, nuts & bolts (K Factor 0.15)
- Moisture proofing of multi-pin plugs & connectors
- Stops electrolysis due to dissimilar metal contact
- Stops galling of stainless steel & aluminium
- Lubricant for rubber hoses, O-rings, linkages, pivot pins & bushes
- Metal to metal soft seal gasket
- Assembly lubricant
- Belt grip

Replaces these types of products:

- Rubber Grease
- Nickel Anti-Seize
- Copper Anti-Seize
- Silver Anti-Seize
- Petroleum Jelly
- Nozzle Dip
- Di-Electric Grease
- Assembly Grease

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)

Corrosion protection in harsh and highly corrosive environments



- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Non Evaporative
- ✓ Non Leaching
- ✓ Hermetically Seals Surface
- ✓ Acid & Salt Resistant

“Give the product a try today as tomorrow is another day away from the potential answer to your problems.”

Brendan McGuffin, Maintenance Planner and Protective Coating Co-ordinator, Logistics Services. Incitec Fertilizers.

Size	Code	Size	Code
750ml Spray	UP\SP-0750	200 Litre	UP\0200
5 Litre	UP\0005	Empty 750ml	AC\PB-0750UP
20 Litre	UP\0020	Empty 1.5L	AC\PS-1500UP

Replaces these types of products:

- Protective coating of critical spares
- Corrosion protection for shipping
- Mining equipment (above & below ground)
- Fertiliser & chemical storage facilities & equipment
- Agricultural vehicles including boom sprayers, fertiliser sprayers, harvesters, trucks, trailers and agbikes
- Corrosion protection for drill pipe and drill casing ID & OD
- Protection of casing & tooling
- 4WD & LV underbody protection
- Protection of non moving parts on machinery & equipment

Corrosion / Rust Protector

Fish Oil

Protective Wax

Soft Seal

For MSDS, PDS & further info, please visit our website



**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)



# Wire Rope Lube



Size	Code
20 Litre Pail	HW\RL20-PAIL
20 Litre Cube	HW\RL20-CUBE

- ✓ Biodegradable
- ✓ Non Toxic
- ✓ Easy to apply - sprayable
- ✓ Resists wash off
- ✓ Moisture, salt & acid resistant

“ We have used Lanotec over the past year or so for lubricating our wire ropes and found it to be a great product with ease of application and its ability to penetrate the body of the rope ”

Neil Butler

Bechtel Equipment Services, Brisbane

Replaces these types of products:

- Semi fluid grease
- Provides long lasting lubrication & corrosion protection
- Penetrates to the core of the wire rope, whilst also remaining on the outer strands
- Suitable for all wire ropes above 16mm or any wire ropes operating in corrosive environments
- Ideal for rig & marine cranes, or any wire ropes working in the splash zone
- Ideal for use around waterways and coastal environments
- Lubrication of ropes in environmentally sensitive areas where salt water is an issue

Wire Rope Lube



For MSDS, PDS & further info, please visit our website

**NATURALLY BETTER**

[www.lanotec.com.au](http://www.lanotec.com.au)