


BRUSHWARE



Brushware

- Cup Brushes
- Wire Wheels
- Spindle Brushes
- Polishing Mops
- Polishing Compounds



Brushware

Brushware Index

- 209 **Brushware** Bench Grinding Wheels
- 208 **Brushware** Cup Brushes – High Performance
- 207 **Brushware** Cup Brushes – High Speed
- 206 **Brushware** Cup Brushes – Industrial
- 205 **Brushware** Flap-Wheels
- 213 **Brushware** Hand Brushes – Plastic Handle
- 213 **Brushware** Hand Brushes – Wooden Handle
- 211 **Brushware** Nylon Brushes
- 203 **Brushware** Polishing – Compounds
- 202 **Brushware** Polishing – Mops & Bonnets
- 203 **Brushware** Polishing – Spindles
- 204 **Brushware** Sanding & Grinding Discs *Razorback*
- 210 **Brushware** Spindle Brushes
- 212 **Brushware** Wire Brushes – DIY Range



Material
Available in calico, cotton and sisal to suit different polishing operations

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

Discount Group: Z0102

Diameter	Description	Qty	Item #	Barcode	Price
Bufs And Polishing Mops					
50	50 fold (12mm) – Loose Leaf mop – Calico	1	A101 5012	9311963375373	
75	50 fold (12mm) – Loose Leaf mop – Calico	1	A101 7512	9311963375403	
100	50 fold (12mm) – Loose Leaf mop – Calico	1	A101 10012	9311963375434	
150	50 fold (12mm) – Loose Leaf mop – Calico	1	A101 15012	9311963375465	
150	100 fold (24mm) – Loose Leaf mop – Calico	1	A101 15024	9311963375472	
200	50 fold (12mm) – Loose Leaf mop – Calico	1	A101 20050	9311963375526	
200	100 fold (24mm) – Loose Leaf mop – Calico	1	A101 20024	9311963375533	
50	1 section (12mm) – Stitched Rag – 100% Cotton	1	A102 5012	9311963375380	
75	1 section (12mm) – Stitched Rag – 100% Cotton	1	A102 7512	9311963375410	
100	1 section (12mm) – Stitched Rag – 100% Cotton	1	A102 10012	9311963375441	
150	1 section (12mm) – Stitched Rag – 100% Cotton	1	A102 15012	9311963375489	
150	2 section (24mm) – Stitched Rag – 100% Cotton	1	A102 15024	9311963375496	
200	1 section (12mm) – Stitched Rag – 100% Cotton	1	A102 20012	9311963375540	
200	2 section (24mm) – Stitched Rag – 100% Cotton	1	A102 20024	9311963375557	
50	1 section (12mm) – Sisal buff	1	A103 5012	9311963375397	
75	1 section (12mm) – Sisal buff	1	A103 7512	9311963375427	
100	1 section (12mm) – Sisal buff	1	A103 10012	9311963375458	
150	1 section (12mm) – Sisal buff	1	A103 15012	9311963375502	
150	2 section (24mm) – Sisal buff	1	A103 15024	9311963375519	
200	1 section (12mm) – Sisal buff	1	A103 20012	9311963375564	
200	2 section (24mm) – Sisal buff	1	A103 20024	9311963375571	
Lambswool Bonnets					
125	Tie On	1	A104 1270	9311963375342	
180	Tie On	1	A104 1780	9311963375359	
200	Tie On	1	A104 2040	9311963375366	



Calico, Loose (Fine)
For high polishing and produces fine details on contoured and flat objects. Used on brass, silver, copper, aluminium, chrome and plastics.



Stitched Cotton Rag (Medium)
For polishing and cutting. It is a general purpose mop and high pressure can be exerted especially when you are cutting. Ideal for polishing non-ferrous metals.



Sisal (Coarse)
For polishing and cutting. Great for removing stretcher strains, orange peel, polishing wheel grit lines, light die marks, etc. Use on stainless steel and non-ferrous metals.



Lambswool Bonnet
Pure wool is one of the very best materials for polishing metal and buffing waxed surfaces. For use with a polishing sponge, felt polishing discs or rubber backing pads.



Material
Available in white, green, blue, brown and grey to suit different applications

Size
145mm (w) x 40mm (d) x 25mm (h)



Application
DIY
Trade
Automotive
Electrician
Plumber
Carpenter
General Contractor
Woodworker
Metalworker
Machine Shop
MRO

Discount Group: Z0102

Colour	Description	RPM	Qty	Item #	Barcode	Price
Polishing Compounds						
White	For high gloss finish on aluminium and aluminium alloys		1	A100 WHITE	9311963375663	
Light Green	For high gloss finish on copper, brass and stainless steel		1	A100 GREEN	9311963375670	
Light Blue	For high gloss finish on most plastics, silver, gold & die cast items		1	A100 BLUE	9311963375687	
Brown	For general purpose use on copper, brass, aluminium & most metals		1	A100 BROWN	9311963375694	
Dark Grey	For Cutting back light scratches on copper, brass & stainless steel before high gloss polish		1	A100 GREY	9311963375700	



1. White Compound

For high polishing and brings most metals up to a high shine. Primarily designed for polishing aluminium and aluminium alloys.

2. Green Compound

For very high polishing and should be used with a calico buff. Used on brass, copper, and stainless steel.

3. Blue Compound

For extremely high polishing on thin gold or silver plates. Excellent on bakelite plastic, plastics, silver, gold and aluminium diecasts.

4. Brown Compound


General purpose compound which cuts and polishes. Used on aluminium, brass, copper and iron.

5. Grey Compound

For cutting back light scratches and used as the first stage of cutting. Used on aluminium, brass, copper, iron and stainless steel.



A200/201 Tapered Spindle
Suits bench grinders. Available in left and right handed threads.



A2020635 Tapered Spindle
Suits 10mm drill chucks. For use with polishing buffs up to 100mm in diameter.

Discount Group: Z0102

Diameter	Description	RPM	Qty	Item #	Barcode	Price
Tapered Spindles						
M12 x 1.75	Left Handed T/Spindle – Suits Bench Grinder		1	A200 1201	9311963375625	
M12 x 1.75	Right Handed T/Spindle – Suits Bench Grinder		1	A200 1202	9311963375632	
M16 x 2.0	Left Handed T/Spindle – Suits Bench Grinder		1	A200 1601	9311963375649	
M16 x 2.0	Right Handed T/Spindle – Suits Bench Grinder		1	A200 1602	9311963375656	
1/2" BSW	Left Handed T/Spindle – Suits Bench Grinder		1	A201 1271	9311963375588	
1/2" BSW	Right Handed T/Spindle – Suits Bench Grinder		1	A201 1272	9311963375595	
5/8" BSW	Left Handed T/Spindle – Suits Bench Grinder		1	A201 1591	9311963375601	
5/8" BSW	Right Handed T/Spindle – Suits Bench Grinder		1	A201 1592	9311963375618	
1/4" HEX	T/Spindle – Suits Drill (10mm chuck)	3,000	1	A202 0635	9311963019994	

suttontools


Razorback Discs

The zirconium abrasive is suitable for applications requiring high operating pressure and medium high-power grinders. Ideal for deburring, removing welding seams and spots, removing scale, rust and oxidation of any kind, blunting sharp corners and edges.

They can be used on stainless steel, alloyed and unalloyed steel, aluminium, non-ferrous metals and alloys, structural steel, cast iron and timber.



Zirconium Abrasive
Suitable for high-pressure applications



Fibre Backed
For longer working life

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

Discount Group: Z0102

Diameter	Width	Grit	Bore	RPM	Qty	Item #	Barcode	Price
Razorback Sanding & Grinding Disc								
102	-	40	16	15,000	1	A300 0040	9311963051284	
102	-	60	16	15,000	1	A300 0060	9311963051291	
102	-	80	16	15,000	1	A300 0080	9311963051307	
102	-	120	16	15,000	1	A300 0120	9311963051314	
115	-	40	22	13,000	1	A301 0040	9311963051321	
115	-	60	22	13,000	1	A301 0060	9311963051383	
115	-	80	22	13,000	1	A301 0080	9311963051390	
115	-	120	22	13,000	1	A301 0120	9311963051406	
127	-	40	22	12,000	1	A302 0040	9311963051413	
127	-	60	22	12,000	1	A302 0060	9311963051420	
127	-	80	22	12,000	1	A302 0080	9311963051437	
127	-	120	22	12,000	1	A302 0120	9311963051444	
178	-	40	22	8,600	1	A303 0040	9311963051451	
178	-	60	22	8,600	1	A303 0060	9311963051468	
178	-	80	22	8,600	1	A303 0080	9311963051475	
178	-	120	22	8,600	1	A303 0120	9311963051482	

suttontools

Designed for finishing, light deburring and cleaning or preparation for further treatments. Flap-wheels can be used on stainless steel, standard steel, alloyed steel, aluminium, titanium, non-ferrous materials and alloys, plastic materials, glass fibre, rubber, marble, stone, concrete, wood and leather.



Flap-wheels
Provide excellent flexibility on irregular shapes

Aluminium Oxide Grit
Available in 60, 80 & 120 grit



1/4" Spindle
Suitable for portable power drills

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

*NOTE: All stock supplied bulk except 60x30mm

Discount Group: Z0102

Diameter	Width	Grit	RPM	Packaging	Qty	Item #	Barcode	Price
Flap-wheels								
30	15	60	32,000	Bulk	1	A400 0060	9311963375717	
		80	32,000	Bulk	1	A400 0080	9311963375724	
		120	32,000	Bulk	1	A400 0120	9311963375731	
40	15	60	24,000	Bulk	1	A401 0060	9311963375755	
		80	24,000	Bulk	1	A401 0080	9311963375762	
		120	24,000	Bulk	1	A401 0120	9311963375779	
50	20	60	19,000	Bulk	1	A402 0060	9311963375786	
		80	19,000	Bulk	1	A402 0080	9311963375793	
		120	19,000	Bulk	1	A402 0120	9311963375809	
60	30	60	16,000	Carded	1	A403 0060	9311963375274	
		80	16,000	Carded	1	A403 0080	9311963375281	
		120	16,000	Carded	1	A403 0120	9311963375304	
60	40	60	16,000	Bulk	1	A404 0060	9311963375816	
		80	16,000	Bulk	1	A404 0080	9311963375823	
		120	16,000	Bulk	1	A404 0120	9311963375830	
80	30	60	12,000	Bulk	1	A405 0060	9311963375847	
		80	12,000	Bulk	1	A405 0080	9311963375854	
		120	12,000	Bulk	1	A405 0120	9311963375861	

Brushware Cup Brushes – Industrial



JAZ-ZUBIAURRE S.A.

One brush fits all angle grinders – thanks to JAZ's multi-thread system.

The exclusive design and patented multi-fitting thread allows an easier attachment and increases resistance resulting in more safety for the user.

M14 Multithread
Accepts both M14 x 2 and 5/8" – 11 spindles

Colour Coded
Red for general purpose use

Wire
Available in Crimped or Twistknot

Protective Guard
Patented protective guard which acts as a shield, prevents wire projection and protects the user against dust and particles

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO



Discount Group: Z0102

Diameter	Trim	Thread	Description	RPM	Gauge	Qty	Item #	Barcode	Price
Cup Brushes – Crimped (Brass Coated)									
100	30	M14 Multi Thread	Standard	4,000	0.30	1	TO1000ER88	8421370186101	
100	30	M14 Multi Thread	Safety Guard	4,000	0.30	1	TOG1000ER88	8421370194915	
Cup Brushes – Twistknot (Grey Steel)									
80	25	M14 Multi Thread	Sleeve / Bridle	8,500	0.37	1	TT0801JR88	8421370190726	
80	25	M14 Multi Thread	Sleeve / Bridle	8,500	0.50	1	TT0801KR88	8421370187757	
100	27	M14 Multi Thread	Sleeve / Bridle	8,500	0.50	1	TT1001KR88	8421370186125	
100	27	M14 Multi Thread	Safety Guard	8,500	0.50	1	TTG1001KR88	8421370194939	
125	30	M14 Multi Thread	Sleeve / Bridle	6,500	0.50	1	TT1251KR88	8421370186132	



TO – Crimped Wire
Appropriate for brushing large surfaces with a medium removal capacity.



TT – Twistknot Wire
Appropriate for brushing large surfaces with high removal capacity. Great for cleaning and removal of welding scale on metallic structures.

Brushware Cup Brushes – High Speed



One brush fits all angle grinders – thanks to JAZ's multi-thread system.
High Speed Brushes have been designed for low weight and high speed mini-grinders.



M10 Multithread Adaptor
Accepts both M10 x 1.25 and M10 x 1.5 spindles

M14 Multithread
Accepts both M14 x 2 and 5/8" – 11 spindles

Colour Coded
Blue for high speed applications

Protective Guard
Patented protective guard which acts as a shield, prevents wire projection and protects the user against dust and particles

Wire
Available in Crimped or Twistknot

- Application**
- DIY
 - Trade
 - Automotive
 - Electrician
 - Plumber
 - Carpenter
 - General Contractor
 - Woodworker
 - Metalworker
 - Machine Shop
 - MRO



Discount Group: Z0102

Diameter	Trim	Thread	Description	RPM	Gauge	Qty	Item #	Barcode	Price
Cup Brushes – Crimped (Brass Coated)									
75	22	M14 Multi Thread	Standard	13,000	0.30	1	HSC90075ER66	8421370186149	
75	22	M14 Multi Thread	Safety Guard	13,000	0.30	1	HSCG90075ER66	8421370194922	
100	24	M14 Multi Thread	Bevelled	13,000	0.30	1	HSD0100ER88	8421370186170	
Cup Brushes – Twistknot (Grey Steel)									
65	20	M14 Multi Thread	Standard	15,000	0.50	1	HST90065KR66	8421370186156	
65	20	M14 Multi Thread	Safety Guard	15,000	0.50	1	HSTG90065KR66	8421370194892	
100	22	M14 Multi Thread	Bevelled	15,000	0.50	1	HSK90100KR66	8421370186187	
Cup Brushes – Bulk (Non Carded) – Individually Barcoded – 10 Pieces Per Box									
65	20	M14 Multi Thread	Standard	15,000	0.50	10	HST0065KR77BAR	8421370190764	



HST0065KR77BAR



HSC – Crimped Wire
Appropriate for brushing large surfaces with a medium removal capacity.



HSD – Bevelled, Crimped Wire
Special design allowing access to angles and flexible performance on any surface.



HST – Twistknot Wire
The twistknot wire provides a long working life with a high removal capacity.

Brushware Cup Brushes – High Performance



In these brushes individual crimped wires are substituted by crimped cables made of several wires. These are groups of 0.23 diameter high resistance steel wires, making a flexible and aggressive brush. Cable crimped Cup Brushes are ideally suited to remove rust, paint, scale, dirt and cleaning of casting. They are also ideal for treating metallic surfaces, rubber, plastic, wood or glass.

M14 Multithread
Accepts both M14 x 2 and 5/8" – 11 spindles

Colour Coded
Orange for high performance applications

Cable Crimped Wire
Higher resistance to flexing fatigue, resulting in 50% longer lasting brush

Protective Guard
Patented protective guard which acts as a shield, prevents wire projection and protects the user against dust and particles

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO



Discount Group: Z0102

Diameter	Trim	Thread	Description	RPM	Gauge	Qty	Item #	Barcode	Price
Cup Brushes – Cable Crimped (Brass Coated)									
100	30	M14 Multi Thread	Standard	8,500	0.23	1	TCA1000@R88	8421370186200	
100	30	M14 Multi Thread	Safety Guard	8,500	0.23	1	TCAG1000@R88	8421370194908	
Cup Brushes – Cable Crimped (Brass Coated)									
75	22	M14 Multi Thread	Safety Guard	13,000	0.23	1	HCAG0075@R88	8421370194885	
Bench Grinding Wheel – Multi Bore									
150	28	20	Cable Crimped	6,500	0.23	1	CCA1505@99	8421370184954	



TCA – Cable Crimped Wire
High performance wire, which lasts 50% longer compared to standard crimped wire.



Cable Crimped, Safety Guard
High performance wire, which lasts 50% longer compared to standard crimped wire. Patented Protective guard which acts as a shield.



CCA – High Performance Wheel
Traditional individual crimped wires (monofilaments) are substituted by crimped cables made of several wires each, resulting in 50% longer life than standard crimped wire.


Brushware Bench Grinding Wheels



Designed for use on bench grinding and angle grinders.
Great for removing rust, scale & paint, cleaning of forged pieces, surface processing in metal, rubber, plastic, wood and glass.

Brass Coated Steel Brush
High fatigue resistance for longer working life, flexible use

Patented Telescopic Multibore
Fits up to eight different arbor sizes from 1/2" to 2"



- Application**
- DIY
 - Trade
 - Automotive
 - Electrician
 - Plumber
 - Carpenter
 - General Contractor
 - Woodworker
 - Metalworker
 - Machine Shop
 - MRO

Discount Group: Z0102

Diameter	Trim	Trim Width	Wire	RPM	Gauge	Qty	Item #	Barcode	Price
Bench Grinding Wheel – Multi Bore									
100	18	12	Crimped	6,500	0.30	1	CT1003E99	8421370150690	
125	30	13	Crimped	6,500	0.30	1	CT1203E99	8421370150539	
150	28	13	Crimped	6,500	0.30	1	CT1503E99	8421370149724	
150	28	20	Crimped	6,500	0.30	1	CT1505E99	8421370142671	
150	28	25	Crimped	6,500	0.30	1	CT1507E99	8421370141681	
200	40	12	Crimped	4,500	0.30	1	CT2003E99	9311963052250	
200	40	17	Crimped	4,500	0.30	1	CT2004E99	8421370148499	
200	40	20	Crimped	4,500	0.30	1	CT2005E99	8421370148369	
200	40	27	Crimped	4,500	0.30	1	CT2007E99	8421370141704	
200	40	39	Crimped	4,500	0.30	1	CT2012E99	8421370152786	



CT – Wide Faced Wheel
Wide Faced Wheels offer flexibility for individual tasks with wide possibilities in dimension and arbor holes.

Brushware Spindle Brushes



JAZ-ZUBIAURRE S.A.

Mainly used on hand-held drills.
The spindle brush range is ideally suited to removing rust, paint, varnish, preparation of gates, balconies, cars, welds and BBQ grills. They are also ideal for preparing surfaces for painting, polishing of metallic pieces and working on wooden rustic pieces.



Brass Coated Steel Brushes
High fatigue resistance, resulting in longer wearing life, rust proof



1/4" Spindle
Suitable for portable power drills



BDER7530BAR SURT0890BAR

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

Discount Group: Z0102

Diameter	Trim	Shank Diameter	Bore	RPM	Gauge	Width	Qty	Item #	Barcode	Price
Wire Wheel Spindle – Crimped (Brass Coated)										
38	8	1/4"	-	4,500	0.30	-	1	BDER9248	8421370000759	
50	8	1/4"	-	4,500	0.30	-	1	BDER9348	8421370000902	
50	10	1/4"	-	4,500	0.30	-	1	389500850	389500850	
50	20	1/4"	-	15,000	0.30	-	1	CDE95020C	8421370223387	
60	8	1/4"	-	4,500	0.30	-	1	BDER9448	8421370001053	
75	15	1/4"	-	4,500	0.30	-	1	BDER9548	8421370001299	
75	23	6mm	-	15,000	0.30	-	1	CDE7500E	8421370055711	
100	22	1/4"	-	4,500	0.30	-	1	BDER9648	8421370001534	
100	24	-	1/4" Spindle	4,500	0.30	Bevelled	1	BTC98030	9311963052274	
Wire Wheel Spindle – Twistknot (Grey Steel)										
75	1 Row	6mm	-	20,000	0.50	-	1	CAE9388	8421370141773	
Cup Brushes Spindle – Crimped (Brass Coated)										
50	-	1/4"	-	4,500	0.30	-	1	BTE9168	8421370061262	
65	-	1/4"	-	4,500	0.30	-	1	BTE9668	8421370217645	
75	-	1/4"	-	4,500	0.30	-	1	BTE9268	8421370061316	
End Brush – Spindle – Crimped (Brass Coated)										
26	Flat End	6mm	-	4,500	0.30	-	1	BBC9078	8421370000278	
Bulk (Non Carded) – Individually Barcoded – 24 Pieces Per Box										
Wire Wheel Spindle – Bulk										
75	15	1/4"	-	4,500	0.30	-	24	BDER7530BAR	8421370071162	
100	22	1/4"	-	4,500	0.30	-	24	BDER1030BAR	8421370001541	
Cup Brushes Spindle – Bulk										
50	-	1/4"	-	4,500	0.30	-	24	BTE5030BAR	8421370061309	
75	-	1/4"	-	4,500	0.30	-	24	BTE7530BAR	8421370061279	
Kits Spindle – 24 Piece Spindle Combination Kit										
6 x Wire Wheel 75 x 15mm							24	SURT0890BAR	8421370051409	
6 x Wire Wheel 100 x 22mm										
6 x Cup Brush 50mm										
6 x Cup Brush 75mm										



BDER – Crimped Spindle Wheel
Removal of rust, paint and any kind of adherence in gates, balconies, cars, etc.



CAE – Twistknot Spindle Wheel
Offers higher material removal capacity in narrow areas. Particularly suited for weld preparation, cleaning and descaling. This item can be used on a straight die grinder.



BTE – Crimped Spindle Brush
Preparing surfaces for painting. Polishing of metallic pieces.



BBC – Crimped Spindle End Brush
Extensively used to clean hard to reach areas such as corners, drilled holes and recesses of all kinds.

Brushware Nylon Brushes



Abrasive Nylon Brushes

Nylon brushes do not scratch and therefore they are appropriate for cleaning and polishing of wood (fine or rustic), tile, stone, concrete, plastic, stainless steel & aluminium.

For use in dry applications only.

Impregnated Aluminium Oxide Nylon brushes
Produce a consistent finish throughout entire working life



1/4" Spindle
Suitable for portable power drills

Flexible Filament
Prevents breakage, resulting in longer working life compared to traditional wire brushes

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

Discount Group: Z0102

Diameter	Trim	Shank Diameter	RPM	Gauge	Qty	Item #	Barcode	Price
Wire Wheel – Spindle (Nylon)								
75	15	1/4"	4,500	80G	1	CNA9475	8421370163553	
100	22	1/4"	4,500	80G	1	CNA9410	8421370163560	
Cup Brushes – Spindle (Nylon)								
50	-	1/4"	4,500	80G	1	CNA9450	8421370163577	
75	-	1/4"	4,500	80G	1	CNA9470	8421370163584	
End Brush – Spindle (Nylon)								
25	-	1/4"	4,500	0.30	1	CNA9422	8421370163591	



CNA9475 & CNA9410 – Wheel Brush
Ideal for accessing difficult to reach areas such as narrow channels and tight corners.



CNA9450 & CNA9470 – Cup Brush
Appropriate for brushing small to medium areas.



CNA9422 – End Brush
Extensively used to clean hard to reach areas such as corners, drilled holes and recesses of all kinds.

Brushware Wire Brushes – DIY Range



Wire Brushes – DIY Range

This range has been developed primarily for DIY applications.

Manufactured to international standards, the range offers excellent value for money.



Brass Coated
For longer wearing life

Wire
Available in
Crimped or Twistknot



Thread Insert
M10 x 1.25
M10 x 1.5
M14 x 2

Application

- DIY
- Trade
- Automotive
- Electrician
- Plumber
- Carpenter
- General Contractor
- Woodworker
- Metalworker
- Machine Shop
- MRO

Discount Group: Z0102

Diameter	Width	Trim	Bore	RPM	Gauge	Qty	Item #	Barcode	Price
Bench Grinding Wheels – Crimped (Brass Coated)									
75	16	22	13	4,500	0.3	1	BDOR9158	9311963051529	
100	12	18	13	4,500	0.3	1	BDOR9258	9311963052182	
150	12	28	Multi Fitting Adaptor	6,500	0.3		BDOR9458	9311963052236	
Cup Brushes – Crimped (Brass Coated)									
Mini Grinder Series for 4" & 4-1/2" Angle Grinders									
60	-	20	M 10 x 1.25	11,000	0.3	1	TOS90600EF10	9311963052342	
60	-	20	M 10 x 1.5	11,000	0.3	1	TOS90600EM10	9311963052359	
75	-	22	M 10 x 1.25	13,000	0.3	1	HSCS90075EF10	9311963052373	
75	-	22	M 10 x 1.5	13,000	0.3	1	HSCS0075EM10	9311963052380	
75	-	22	M 14 x 2	13,000	0.3	1	HSCS0075EM14	9311963052397	
Cup Brushes – Twistknot (Grey Steel)									
Mini Grinder Series for 4" & 4-1/2" Angle Grinders									
65	-	20	M 10 x 1.25	15,000	0.5	1	HSTS90065KF10	9311963052311	
65	-	20	M 10 x 1.5	15,000	0.5	1	HSTS90065KM10	9311963052328	
65	-	20	M 14 x 2	15,000	0.5	1	HSTS90065KM14	9311963052335	



DIY – Bench Grinding Wheel

Removal of rust, paint and scale.
Edge cleaning of tubes and sections.



DIY – Crimped Cup Brush

Appropriate for brushing small to medium areas
and provides a medium removal capacity.



DIY – Twistknot Cup Brush

The twistknot wire provides a long working
life with a high removal capacity.

Brushware Hand Brushes – Wooden Handle




Ideal for removal of weld scale, sand on forged pieces, stone polishing, rust, paint and any kind of adherence. It also allows you to obtain a rustic appearance on wood.



Long Wooden Handle
Provides extra reach

Pointed End
To reach corners and difficult to access areas

Bristles
Available in 3, 4 or 5 rows



Application

DIY
Trade
Automotive
Electrician
Plumber
Carpenter
General Contractor
Woodworker
Metalworker
Machine Shop
MRO


Discount Group: Z0102

Length	Trim	Wire Type	Rows	Knots	Gauge	Qty	Item #	Barcode	Price
Wooden Handle Brushes									
290	30	Brass Coated	3	40	0.40	1	MS9300G	8421370044579	
290	30	Brass Coated	4	40	0.40	1	MS9400G	8421370044791	
290	30	Brass Coated	5	40	0.40	1	MS9500G	8421370044951	
290	30	Stainless Steel	3	40	0.40	1	MS9300P	8421370044678	
290	30	Stainless Steel	4	40	0.40	1	MS9400P	8421370044890	
290	30	Stainless Steel	5	40	0.40	1	MS9500P	8421370045026	
290	30	Brass	3	40	0.40	1	MS9300X	8421370044647	
290	30	Brass	4	40	0.40	1	MS9400X	8421370044852	
290	30	Brass	5	40	0.40	1	MS9500X	8421370044999	

Brushware Hand Brushes – Plastic Handle

These hand brushes have been specially designed to offer a longer working life. They offer a maximum removal capacity due to its high wire density enabling a higher brushing pressure and level of aggressive surface removal.

Slim Design
Allows for access into channels as narrow as 8mm



Colour Coded
For easy selection

High Wire Density
For maximum removal capacity and longer wearing life



Merchandiser

When you purchase a box quantity of 24 pieces, you will receive a carton which converts into a display box.

Discount Group: Z0102

Length	Trim	Wire Type	Rows	Knots	Gauge	Qty	Item #	Barcode	Price
Plastic Handle Brushes									
255	28	Brass Coated	-	16	0.35	1	VIP1000F	8421370051348	
255	28	Stainless Steel	-	16	0.30	1	VIP1000Z	8421370053601	
255	28	Brass	-	16	0.30	1	VIP1000V	8421370056961	



VIP1000F – Brass Coated Wire

- High performance and flexibility
- General purpose applications
- Protects the wire against oxidation
- Contaminates stainless steel surfaces



VIP1000Z – Stainless Steel Wire

- Manufactured to AISI 304L Standard
- For stainless steel, aluminium or other non-ferrous metals
- Slightly magnetic



VIP1000V – Brass Wire

- Non sparking for a higher level of safety
- Appropriate for fine finishing of non-ferrous materials

SAFETY BEFORE, DURING AND AFTER WORK



One brush fits all angle grinders all thanks to our new multithread design.

Protection

- The guard acts as a protection shield during the work.
- The guard protects the user against dust and particles generated at work.

Flexibility

- These brushes are ideal for open surfaces.
- The flexibility and adaptability of the plastic material permits also the access of the brush to difficult and more hidden areas.
- It provides for a more friendly handling of the brush, protecting the end user against potential pricking caused by the wire.

Visibility

- The guard is made of a transparent material that allows the user to see the working area.



M10 Multithread Adaptor

Accepts both M10 x 1.25 and M10 x 1.5 spindles.



M14 Multithread Insert

Accepts both M14 x 2 and 5/8" – 11 spindles.



Protective Guard

Patented protective guard which acts as a shield which prevents not only wire projection but also protects the user against dust and particles generated at work.



Cable Crimped Wire

High performance wire, which lasts 50% longer compared to standard crimped wire.

